

today's howtos

By *Roy Schestowitz*

Created 22/05/2019 - 5:02am

Submitted by Roy Schestowitz on Wednesday 22nd of May 2019 05:02:25 AM Filed under [HowTos](#) [1]

- [nmap flags and what they do](#) [2]
- [WebAuthn Web Authentication with YubiKey 5](#) [3]
- [Ubuntu Print Screen](#) [4]
- [11 Uses for the ?ps? Command in Linux](#) [5]
- [Print Execution time of shell script in Linux](#) [6]
- [Use the Kubernetes Python client from your running Red Hat OpenShift pods](#) [7]
- [Interoperability with the new Service Mesh Interface](#) [8]

Kubernetes has established itself as the cloud native equivalent of an operating system. Thus,

it's important to allow composability and flexibility as to the implementation details. While Fedora and Red Hat Enterprise Linux both have their origins in source control, the flexibility of the Linux kernel and its interfaces allow us to use those same sources to compose different operating systems in a manner that meets the needs of different users.

- [Blockchain 2.0 ? Introduction To Hyperledger Sawtooth \[Part 12\] \[9\]](#)
- [How to install Shotcut video editor on Ubuntu 19.04/LinuxMint \[10\]](#)

[HowTos](#)

Source URL: <http://www.tuxmachines.org/node/124122>

Links:

- [1] <http://www.tuxmachines.org/taxonomy/term/98>
- [2] https://linuxhint.com/nmap_flags/
- [3] <https://www.linuxjournal.com/content/webauthn-web-authentication-yubikey-5>
- [4] https://linuxhint.com/ubuntu_print_screen/
- [5] <https://www.maketecheasier.com/uses-ps-command-linux/>
- [6] <https://linuxhandbook.com/get-shell-script-execution-time/>
- [7] <https://developers.redhat.com/blog/2019/05/14/use-the-kubernetes-python-client-from-your-running-red-hat-openshift-pods/>
- [8] <https://www.redhat.com/en/blog/interoperability-new-service-mesh-interface>
- [9] <https://www.ostechnix.com/blockchain-2-0-introduction-to-hyperledger-sawtooth/>
- [10] <https://www.how2shout.com/how-to/how-to-install-shotcut-video-editor-on-ubuntu-19-04-linuxmint.html>