

# Ubuntu Spyware: What to Do?

By *srlinuxx*

Created 09/12/2012 - 8:06pm

Submitted by srlinuxx on Sunday 9th of December 2012 08:06:38 PM Filed under [OSS](#) [1] [Ubuntu](#) [2]

One of the major advantages of free software is that the community protects users from malicious software. Now Ubuntu GNU/Linux has become a counterexample. What should we do?

Once in a while, users who know programming find that a free program has malicious code. Generally the next thing they do is release a corrected version of the program; with the four freedoms that define free software (see <http://www.gnu.org/philosophy/free-sw.html>), they are free to do this. This is called a "fork" of the program. Soon the community switches to the corrected fork, and the malicious version is rejected. The prospect of ignominious rejection is not very tempting; thus, most of the time, even those who are not stopped by their consciences and social pressure refrain from putting malfeatures in free software.

But not always. Ubuntu, a widely used and influential GNU/Linux distribution, has installed surveillance code. When the user searches her own local files for a string using the Ubuntu desktop, Ubuntu sends that string to one of Canonical's servers. (Canonical is the company that develops Ubuntu.)

This is just like the first surveillance practice I learned about in Windows.

[rest here](#) [3]

---

---

[OSS Ubuntu](#)

---

**Source URL:** <http://www.tuxmachines.org/node/59124>

## Links:

[1] <http://www.tuxmachines.org/taxonomy/term/72>

[2] <http://www.tuxmachines.org/taxonomy/term/121>

[3] <http://www.fsf.org/blogs/rms/ubuntu-spyware-what-to-do>